



ASTM E617-13

Tolerances have been converted from avoirdupois to metric and rounded to two significant figures.

Nominal Size	Class 0	Class 1	Class 2	Class 3	Class 4
1g	0.017 mg	0.034 mg	0.054 mg	0.10 mg	0.20 mg
2g	0.017 mg	0.034 mg	0.054 mg	0.13 mg	0.26 mg
5g	0.017 mg	0.034 mg	0.054 mg	0.18 mg	0.36 mg
10g	0.025 mg	0.050 mg	0.074 mg	0.25 mg	0.5 mg
50g	0.060 mg	0.12 mg	0.25 mg	0.60 mg	1.2 mg
100g	0.13g mg	0.25 mg	0.50 mg	1.0 mg	2.0 mg
200g	0.25 mg	0.50 mg	1.0 mg	2.0 mg	4.0 mg
500g	0.60 mg	1.2 mg	2.5 mg	5.0 mg	10 mg
1kg	1.3 mg	2.5 mg	5.0 mg	10 mg	20 mg
2kg	2.5 mg	5.0 mg	10 mg	20 mg	40 mg
5kg	6.0 mg	12 mg	25 mg	50 mg	100 mg
10kg	13 mg	25 mg	50 mg	100 mg	200 mg



OIML RIII-I 2004

Tolerance for weights of denominations between those listed can be determined as follows:

- If the unit of measure is non-metric, convert the nominal value to a metric unit.
- For weights that are between those listed, the tolerance for the next lower weight shall be applied

Nominal Size	Class E2	Class F1
1mg	0.006 mg	0.020 mg
2mg	0.006 mg	0.020 mg
5mg	0.006 mg	0.020 mg
10mg	0.008 mg	0.025 mg
20mg	0.010 mg	0.03 mg
50mg	0.012 mg	0.04 mg
100mg	0.016 mg	0.05 mg
200mg	0.020 mg	0.06 mg
500mg	0.025 mg	0.08 mg
1g	0.030 mg	0.10 mg
2g	0.040 mg	0.12 mg
5g	0.050 mg	0.16 mg
10g	0.060 mg	0.20 mg
20g	0.080 mg	0.25 mg
50g	0.10 mg	0.30 mg
100g	0.16 mg	0.5 mg
200g	0.30 mg	1.0 mg
500g	0.8 mg	2.5 mg
1kg	1.6 mg	5 mg
2kg	3.0 mg	10 mg